

**Half Yearly Compliance Report
2024**

01 Dec(01 Apr - 30 Sep)

Acknowledgement

Proposal Name	Proposed Capacity Expansion of Sardar Vallabhbhai Patel International Airport (SVPIA) to Enhance the Passenger Handling Capacity to 40.33 MPPA and cargo handling capacity up to 1.0 MTPA		
Name of Entity / Corporate Office	AHMEDABAD INTERNATIONAL AIRPORT LIMITED		
Village(s)	N/A		
District	AHMADABAD		
Proposal No.	IA/GJ/MIS/81117/2006	Category	INFRA-2
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	GUJARAT	Entity's PAN	*****5232N
MoEF File No.	SIA/GJ/134807/2022	Entity name as per PAN	AHMEDABAD INTERNATIONAL AIRPORT LIMITED

Compliance Reporting Details

Reporting Year	2024
Remarks (if any)	<p>Half Yearly Compliance Report for expansion project at Sardar Vallabhbhai Patel International Airport, Ahmedabad for the period of April 2024 to Sep 2024. As per Concession Agreement with Airports Authority of India (AAI) and Ahmedabad International airport Limited, the area of the project site is 390.05 Ha been allocated. It includes 11.19 Ha CSD area. Environment clearance has been obtained for the area which includes existing airport area plus as per the concessioner agreement additional land which is being acquired for safety (1.76 plus 8.54 is 10.30 Ha) requirements and de-bottlenecking</p>
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office		AHMEDABAD INTERNATIONAL AIRPORT LIMITED				
	Project Area as per EC Granted	Actual Project Area in Possession				
Private	0	0				
Revenue Land	0	0				
Forest	0	0				
Others	400.35	409.78				
Total	400.35	409.78				
Production Capacity						
Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Airport is a service industry	Others:Numbers of passenger	N/A	40330000	10165465	
Conditions						
Specific Conditions						
Sr.No.	Condition Type	Condition Details				
1	WATER QUALITY MONITORING AND PRESERVATION	The wastewater generation shall be 5.20 MLD				
PPs Submission: Agreed to Comply Agreed to comply For existing operation, existing wastewater generation is average 0.35 MLD, which is being treated in STP for its further utilization.						Date: 30/11/2024
2	Human Health Environment	PP shall take all necessary steps for fire and life safety measures for fall protection, ladders and stairs, scaffolds, trenching and excavation, electrical safety, cranes, occupational noise exposure, welding and cutting etc				
PPs Submission: Agreed to Comply Agreed to comply During construction activities, fall protection, ladders, stairs, scaffolds, trances, electrical safety implementations, crane safety and welding and cutting safety are being considered. Adequate noise control measures have been provided at the site such as, - Acoustic enclosures provided to DG Sets - Timely maintenance of all the equipment. - Use of PPE						Date: 30/11/2024
3	AIR QUALITY MONITORING AND PRESERVATION	Proponent shall provide continuous ambient air quality monitoring devices (AAQM).				
PPs Submission: Complied Complied. Continuous Ambient Air Quality Monitoring (AAQM) equipment has been installed at the site. Photograph for the same is given as Annexure A.3						Date: 30/11/2024
4	MISCELLANEOUS	Project Proponent have to submit detailed Traffic Management and decongestion reports.				

<p>PPs Submission: Complied Agreed to comply Traffic study and management plan has been submitted as part of environmental impact assessment study for which EC has been granted dated 11 Nov 2022</p>		<p>Date: 30/11/2024</p>
5	Human Health Environment	The proponent shall provide for lift, occupational health facility, life-saving devices, automated external defibrillators (AED), portable oxygen supply equipment's, operation working safety of the workers, bird-hit prevention measures, etc.
<p>PPs Submission: Agreed to Comply Agreed to comply. Lifts/ escalators are available at all required locations in the existing terminal operational areas. The Medical Examination Room is available at the terminal with important facilities like life saving devices, AED, portable oxygen steady supply equipment etc. Various bird hit prevention systems are provided at the site. All these facilities and systems will be suitably upgraded, modified, and maintained as expansion is undertaken</p>		<p>Date: 30/11/2024</p>
6	WATER QUALITY MONITORING AND PRESERVATION	The treated wastewater discharge into AMC drainage line shall not exceed 89.04 KLD. Necessary permission from AMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority shall display and inform to local bodies.
<p>PPs Submission: Agreed to Comply Agreed to comply. In line to present airport operations, 500 KLD STP has been installed with MBBR technology. At present the treated wastewater is analyzed by MoEF/NABL approved lab and results have been found within the norms, and is being used for gardening, and horticultural requirements STP will be expanded in a phased manner as per the requirement, to treat the wastewater generated from the entire airport and the treated wastewater will be used for horticulture, HVAC and flushing purposes.</p>		<p>Date: 30/11/2024</p>
7	Corporate Environmental Responsibility	Project Proponent shall submit CER plan to respective Collectors, DDO and Municipal Commissioner/Urban Development Authority and implement of CER activities under intimation and guidance of the respective authorities.
<p>PPs Submission: Agreed to Comply Agreed to comply The CER plan was prepared and submitted as part of the EIA report and will be further implemented as per the applicability. Details for the same will be submitted to the respective authority.</p>		<p>Date: 30/11/2024</p>
8	MISCELLANEOUS	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Km radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the state Urban Development Department and the P.W.D./competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments
<p>PPs Submission: Agreed to Comply Agreed to comply Traffic study and management plan has been submitted as part of environmental impact assessment study for which EC has been granted dated 11 Nov 2022.</p>		<p>Date: 30/11/2024</p>
9	WASTE MANAGEMENT	A certificate from the competent authority/agency handling

		municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to M.S W generated from project
PPs Submission: Agreed to Comply Agreed to comply For present operation, solid waste management is being done as per 5R principle, to attain Zero Waste to Landfil through authorized agency		Date: 30/11/2024
10	MISCELLANEOUS	Rainwater harvesting tanks with numbers and dimension shall be provided.
PPs Submission: Agreed to Comply Agreed to comply For existing airport operations, 35 number of rainwaters harvesting recharge pits are provided and maintained. Same will be upgraded and updated as expansion is undertaken.		Date: 30/11/2024
11	Risk Mitigation and Disaster Management	Hazard identification and Risk Assessment for the project shall be carried out and adequate mitigation measures shall be adopted to ensure that all safety issues are addressed, the documentation shall be reviewed periodically and shall be submitted to the regional office along with six-monthly compliance report
PPs Submission: Agreed to Comply Agreed to comply For present operations, detailed HIRA is in place and the same will be suitably updated for further implementation as and when commencement of expansion project related activities		Date: 30/11/2024
12	Human Health Environment	Proponent shall submit the details of users/visitor's arrival maximum and minimum and submit the plan of safety health & Environment, risk assessment and hazard identification measures etc. in 6 months' time integrated IRO.MOEF&CC and SEIAA and make a presentation for field check etc.
PPs Submission: Agreed to Comply Agreed to comply The report has been prepared and submitted to GPCB and IRO-MOEFCC vide letter dated 8th Dec 2022. Copy of the letter given as Annexure		Date: 30/11/2024
13	ENERGY PRESERVATION MEASURES	Solar power generation capacity of 3 MW shall be established as Proposed
PPs Submission: Agreed to Comply Agreed to comply For the existing operations of the airport 1.4MW solar power generation facility is available. Further as part of achieving carbon neutrality, 100 percentage of airport power consumption will be through green sources to be achieved in upcoming year.		Date: 30/11/2024
14	WATER QUALITY MONITORING AND PRESERVATION	As proposed, wastewater shall be treated in onsite STP 5.5 MILD capacity. Treated water from the STP shall be recycled and re-used for Landscaping or other purposes. There shall be no discharge of treated water from the project proponent
PPs Submission: Agreed to Comply Agreed to comply In line to present airport operations, 500 KLD STP has been installed with MBBR technology. At present the treated wastewater is analyzed by MoEF/NABL approved lab and results have been found within the norms, and is being used for gardening, and horticultural requirements STP will be expanded in a phased manner as per the requirement, to treat the wastewater generated from the entire airport and the treated wastewater will be used for horticulture, HVAC and flushing purposes		Date: 30/11/2024
15	GREENBELT	Area provided for green belt shall be 12.33 Ha (30.48 acre) in landside and 142.47 Ha (353.04 acre) in airside. plantation to be ensured species (cut) to species (planted). Area for green belt

		development shall be provided as per the detail provided in the project document'
PPs Submission: Agreed to Comply Agreed to comply For the existing operations, the Greenbelt area is being managed in line to airport conceptual plan and same will be considered for expansion.		Date: 30/11/2024
16	MISCELLANEOUS	PP shall explore the use of non-ozone depleting substances in air-conditioning systems'
PPs Submission: Agreed to Comply Agreed to comply For the existing operations, AIAL is exploring ODS free ACs and same will be practiced for master plan development also.		Date: 30/11/2024
17	MISCELLANEOUS	53 nos of rainwater recharge pits shall be provided as proposed. Rainwater harvesting structures shall conform to CGWA designs. Before recharging the surface, run off, pre-treatment must be done to remove suspended matter, oil and grease
PPs Submission: Agreed to Comply Agreed to comply As a part of Rainwater harvesting structures 35 numbers of recharge pits have been provided. Further the same will be developed in line with the expansion project as per the applicable norms		Date: 30/11/2024
18	WATER QUALITY MONITORING AND PRESERVATION	The project Proponents would commission a third party study on their implementation of conditions related to the quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of a water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet scats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spay faucets attached to toilets
PPs Submission: Agreed to Comply Agreed to comply For existing operations, treated water is being reused for gardening. The said condition will be complied with as a part of expansion in line with the applicability		Date: 30/11/2024
19	WATER QUALITY MONITORING AND PRESERVATION	Fresh water requirement from local authority shall not exceed 9.5 MLD during final operational phase as committed, no ground water abstraction shall be done during construction as well as operation phase of the project.
PPs Submission: Agreed to Comply Agreed to comply Fresh water demand for present airport operations is sourced from Ahmedabad Municipal Corporation (AMC) and ground water. Copy of approval attached as Annexure 16. Based on the future demand, required approvals from the concerned authorities will be obtained.		Date: 30/11/2024
20	MISCELLANEOUS	Multi-Level Car park (MLCP) shall be proposed for 2000-2500 vehicles in line with the business needs'
PPs Submission: Agreed to Comply Agreed to comply For existing airport operations, adequate parking is being provided. Further as part of expansion plan parking in form of surface, MLCP etc. will be provided.		Date: 30/11/2024
21	Human Health Environment	Airport shall be in line with the DGCA guideline and must have adequate fire and safety provisions'
PPs Submission: Complied Agreed to comply For existing airport operation, AIAL has DGCA license to operate and AIAL complying to the conditions of DGCA. Adequate fire and safety provisions are provided. All such		Date: 30/11/2024

systems will be suitably upgraded in accordance with airport expansion		
22	Statutory compliance	The Environmental Clearance to the project is primarily under provisions of EIA Notification 2006 The Project' proponent is under obligation to obtain approvals/clearances under any other Acts Regulations or Statutes as applicable to the Project
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
23	MISCELLANEOUS	The pp shall also provide electric charging points in the parking areas for e-vehicles as committed'
PPs Submission: Complied Complied for present airport operation, AIAL have provided 6 charging stations suitable for charging cars and buses and two wheelers and same will be considered for expansion as per the requirements		Date: 30/11/2024
24	MISCELLANEOUS	The total parking area approved in EC should be earmarked with number of flats and allotment must be handed over to the maintenance of society when transferred with necessary notarized undertaking abide by all conditions of EC including disposal of waste, ventilation, lighting in basement area adequately
PPs Submission: Agreed to Comply Agreed to comply This is an airport infrastructure development project, and no residential activities are expected. Adequate parking will be provided as per the requirement. For waste management, AIAL practicing waste collection from all terminals, internal transport to waste management facility, segregation in yard, recycling of sorted waste and moving towards our organization goal of Zero Waste to Landfill Segregated biodegradable waste is treated in an organic waste converter which produces manure, used for gardening purposes. Further in line with the master plan EC, AIAL ensure that, waste management plan is in line to our vision for Zero Waste to Landfill		Date: 30/11/2024
25	Noise Monitoring & Prevention	Where construction activity is likely to cause noise nuisance to nearby residents, restrict operation hours between 7 AM to 6 PM
PPs Submission: Agreed to Comply Agreed to comply Adequate noise control measures have been provided at the site such as, - Acoustic enclosures provided to DG Sets - Vehicle speed maintenance - Timely maintenance of all the equipment, machinery and vehicles used at the site. -Use of PPE Further, same will be suitably continued in line to Expansion project. Regular noise monitoring is being carried out as part of Airport operations, and results observed with thin the standard norms		Date: 30/11/2024
General Conditions		
Sr.No.	Condition Type	Condition Details
1	WASTE MANAGEMENT	Hazardous and other wastes
PPs Submission: Agreed to Comply Agreed to comply As existing airport operations, all the hazardous waste has been handled as per hazardous waste management rules and same will be practiced for future expansion.		Date: 30/11/2024
2	MISCELLANEOUS	The criteria pollution level namely PM10, PM2.5, Sox, NOx (ambient level shall be monitored and displayed at the convenient location near the main gate of the company in the public domain.

<p>PPs Submission: Agreed to Comply Agreed to comply For existing operation, the Display board showing environment parameter provided at site and same will be considered for expansion</p>		<p>Date: 30/11/2024</p>
3	PUBLIC HEARING	Construction site should be adequately barricaded before the construction begins
<p>PPs Submission: Agreed to Comply Agreed to comply An adequate barricade has been provided to the project site.</p>		<p>Date: 30/11/2024</p>
4	PUBLIC HEARING	Emergency preparedness plan based on the hazard identification and risk assessment (HIRA), and disaster management plan shall be implemented
<p>PPs Submission: Agreed to Comply Agreed to comply For existing operation, AERP and Disaster management plan has been implemented and same will be upgraded for expansion.</p>		<p>Date: 30/11/2024</p>
5	PUBLIC HEARING	Traffic congestion near the entry and exit points from road adjoining the airport shall be avoided. Parking should be fully internalized anno public space should be utilized
<p>PPs Submission: Agreed to Comply Agreed to comply For existing operation, a proper traffic management system has been implemented and same will be considered for the expansion Adequate parking will be provided as per the requirement</p>		<p>Date: 30/11/2024</p>
6	WATER QUALITY MONITORING AND PRESERVATION	Rainwater harvesting for roof man-off and surface run-off as plan submitted should be implemented. Rainwater ' harvesting structures shall conform to GGWA designs. Before recharging the surface run off, pretreatment must be done to remove suspended matter, oil and grease.
<p>PPs Submission: Agreed to Comply Agreed to comply. As part of present airport operations, a storm water management system has been provided with 35 nos. of recharge pit, Same will be upgraded in line with expansion as per the applicable norms</p>		<p>Date: 30/11/2024</p>
7	WASTE MANAGEMENT	Waste arising out of maintenance and workshops waste arising out from eateries and shops situated inside the airport complex.
<p>PPs Submission: Agreed to Comply Agreed to comply For present operation, solid waste management is being done as per 5R principle, to attain Zero Waste to Landfil through authorized agency.</p>		<p>Date: 30/11/2024</p>
8	Statutory compliance	The project proponent shall obtain Consent to Establish/ operate under the provisions of Air (Prevention & control of pollution) Act, 1981 and the water Prevention & control of Pollution Act, 1974 from the concerned State Pollution Control Board / Committee.
<p>PPs Submission: Being Complied Being Complied. Consent to establish form state pollution control board under the provisions of Air (Prevention and control of pollution) Act, 1981 and the Water Prevention and Control of Pollution Act, 1974 from the Gujarat State Pollution Control Board has been obtained. Copy the CTE is attached as Annexure A26</p>		<p>Date: 30/11/2024</p>
9	WATER QUALITY MONITORING AND PRESERVATION	Run off from chemicals and other contaminants from aircraft maintenance and other area shall be suitably contained and treated before disposal. A spillage and contaminant plan shall be drawn up

		and implemented to satisfaction of state pollution control board
<p>PPs Submission: Agreed to Comply Agreed to comply. As part of present airport operations, the spillage control plan has been implemented. The same will be updated and implemented in line with the expansion</p>		<p>Date: 30/11/2024</p>
10	WATER QUALITY MONITORING AND PRESERVATION	Proper drainage systems, emergency containment in the event of a major spill during monsoon season etc. shall be provided
<p>PPs Submission: Agreed to Comply Agreed to comply. As part of present airport operations, the spillage control plan has been implemented. The same will be updated and implemented in line with the expansion</p>		<p>Date: 30/11/2024</p>
11	WATER QUALITY MONITORING AND PRESERVATION	The runoff from paved structures like Runways, Taxiways, can be routed through drains to oil separation tanks and sedimentation basins before being discharged into rainwater harvesting structures
<p>PPs Submission: Agreed to Comply Agreed to comply. As part of present airport operations, the spillage control plan has been implemented</p>		<p>Date: 30/11/2024</p>
12	Noise Monitoring & Prevention	Acoustic enclosures for DG sets, noise barriers for ground run bays ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
<p>PPs Submission: Agreed to Comply Agreed to comply. For existing airport operations, adequate noise control measures have been provided at the site such as, - Acoustic enclosures provided to DG Sets - Vehicle speed maintenance - Timely maintenance of all the equipment, machinery and vehicles used at the site. As part of existing operations, Noise monitoring surveys are being carried out at 4 locations. All the results are observed well within the prescribed limit. For expansion Environmental monitoring plan inline to EMP will be implemented</p>		<p>Date: 30/11/2024</p>
13	Statutory compliance	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water from the competent authority concerned in case of drawl of surface water required for the project
<p>PPs Submission: Agreed to Comply Agreed to comply Fresh water demand for present airport operations is sourced from Ahmedabad Municipal Corporation (AMC) and ground water. Copy of approval attached as Annexure 16. Based on the future demand, required approvals from the concerned authorities will be obtained.</p>		<p>Date: 30/11/2024</p>
14	AIR QUALITY MONITORING AND PRESERVATION	Project proponent shall install system to carry out (Ambient Air quality monitoring for common/criterion parameters relevant to the main pollutants released (PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2, and NOx emissions) within and outside the airport area at least at four locations covering upwind and downwind directions
<p>PPs Submission: Agreed to Comply Agreed to comply. As part of existing airport operations and environmental monitoring plan, AIAL is carrying out AAQM monitoring at 4 locations (through MoEF/ NABL approved lab). CAAQM has also been installed. For expansion Environmental monitoring plan inline to EMP will be implemented.</p>		<p>Date: 30/11/2024</p>
15	AIR QUALITY MONITORING AND PRESERVATION	Diesel power generating sets proposed as source of backup power should be equal to the height needed for the combined capacity of all the DG sets Use of low Sulphur diesel. The location of the DG sets

		may be decided within the consultation with the state pollution control board.	
PPs Submission: Agreed to Comply Agreed to comply. As part of existing airport operations, all the DG sets are being provided stack height in line with airport safety norms. Same will be practiced for master plan development also. As part of consent to establish (CTE) application for the master plan, details of all the proposed DG set submitted to state pollution control board, for which CTE has been granted on 12 Oct 2022.			Date: 30/11/2024
16	MISCELLANEOUS	The copies of the environmental clearance shall be submitted by the project proponents to the head of local bodies, panchayats, and municipal bodies in addition to the relevant offices of the government who in turn has to display the same for 30 days for the date of receipt. The project proponent shall upload the status of the compliance o the stipulated environment clearance conditions, including results of monitoring data on their website and update the same on half yearly basis.	
PPs Submission: Complied Complied, A copy of the Environment clearance issued by the ministry has been submitted to the concerned local bodies and relevant government offices wide letter dated 27 Nov 2022. Copy of the submitted letter is given as Annexure B 73			Date: 30/11/2024
17	MISCELLANEOUS	The project proponent shall submit six monthly reports on the status of the compliance of the stipulated environmental conditions of the website of the ministry of environmental a, forest a climate change at environment clearance portal.	
PPs Submission: Agreed to Comply Agreed to comply Previous submittal of Half yearly EC compliance report given as Annexure B74			Date: 30/11/2024
18	MISCELLANEOUS	The separate development cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior executive, who will directly report to the head of the organization.	
PPs Submission: Agreed to Comply Agreed to comply AIAL is having Head Environment and Sustainability to take care of Environment related functions. He reports to CAO, who directly reports to the top management			Date: 30/11/2024
19	WASTE MANAGEMENT	The solid waste shall be segregated as per norms of the solid waste management rules 2016, recycling of waste such as paper, glass produced from the terminals and aircraft caterers , metal (from aircraft maintenance site) , plastic (from aircraft, terminals and offices , wood , waste oil and solvents (from maintenance and engineering operations), kitchen waste and vegetable oils (from caterers) shall be carried out. Solid waste shall be disposed in accordance with the solid waste management rules 2016 as amended	
PPs Submission: Agreed to Comply Agreed to comply For present operation, solid waste management is being done as per 5R principle, to attain Zero Waste to Landfil through authorized agency.			Date: 30/11/2024
20	PUBLIC HEARING	As per the TOP issued by MOEF&CC vide file No 21-36/2022-IA-III dated 29 March 2022, public hearing was exempted by the committee ad per para 7(ii) of EIA notification 2026 and its subsequent amendments	
PPs Submission: Agreed to Comply			Date:

Agreed to comply		30/11/2024
21	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in EIA/EMP report commitment made therein.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
22	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the ministry of environment, forest and climate change (MOEF&CC)/SEIAA.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
23	MISCELLANEOUS	Concealing factual data or submission of false fabricated data may result in revocation of the environmental clearance and attract actions under the provisions of environmental protection act 1980.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
24	MISCELLANEOUS	The ministry may revoke or suspend the clearance if implementation of any of the above conditions is not satisfactory.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
25	MISCELLANEOUS	The ministry reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
26	MISCELLANEOUS	The above conditions shall be enforce, inter-alia under the provisions of the water (prevention & control of pollution act 1974, the air prevention & control of pollution act 1981, the environmental (protection) act 1986, Hazardous and other waste (management and transboundary movement) rules 2016 and public liability insurance act 1991 along with their amendments and rules and any other orders passed by the Hon'ble supreme court of India/high courts/NGT and any other court of law relating to the subject matter.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
27	WASTE MANAGEMENT	Used CFLs and TPLs should be properly collected and disposed off /sent for recycling as per the prevailing guidelines/rules in the regulatory author to avoid mercury contamination.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024

28	WASTE MANAGEMENT	Construction spoils, including bituminous materials and other hazardous materials must not be allowed to contaminated water courses, and the dump sites for such material must be secured so that they should not leach into ground water.
PPs Submission: Agreed to Comply Agreed to comply Upgradation and maintenance work as a part of passenger convenience and safety compliance are undertaken. Waste generation during construction phase are segregated and being disposed as per applicable norms.		Date: 30/11/2024
29	GREENBELT	Green belt of 12.33 Ha (30.48 acre) in landside and 142.47 Ha (353.54 acre) in the airside shall be developed with native tree species in accordance with forest department as per green belt development plan
PPs Submission: Agreed to Comply Agreed to comply For the existing operations, Greenbelt area is being managed in line to airport conceptual plan and same will be considered for expansion through in-house horticulture experts		Date: 30/11/2024
30	MISCELLANEOUS	Soil and other construction materials should be sprayed with water prior to any loading, unloading or transfer operation as to maintain the dusty material wet.
PPs Submission: Agreed to Comply Agreed to comply. Upgradation and maintenance work as a part of passenger convenience and safety compliance are undertaken. Adequate dust mitigation measures have been provided at the site such as, - Water sprinkling to prevent dust emission. - Vehicles used for material movements are covered.		Date: 30/11/2024
31	MISCELLANEOUS	The excavation working area should be sprayed with water after operation so as to maintain the entire surface wet
PPs Submission: Agreed to Comply Adequate dust mitigation measures have been provided at the site such as, - Water sprinkling to prevent dust emission. - Vehicles used for material movements are covered.		Date: 30/11/2024
32	PUBLIC HEARING	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
PPs Submission: Agreed to Comply Agreed to comply All the workers and labour are local people, however, adequate necessary facilities like sanitation facilities, drinking water and tap water, sewage disposal facility, first aid box, adequate PPEs etc. are provided at site.		Date: 30/11/2024
33	PUBLIC HEARING	Occupational health surveillance of the workers shall be done on as regular bases.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
34	Statutory compliance	All other statutory clearances such as the approvals of storage of diesel from chief controller of Explosives, Fire Department, civil Aviation and Department shall be obtained, as applicable by project proponents from the respective competent authorities
PPs Submission: Agreed to Comply Agreed to comply As part of existing airport operations, required approvals from PESO, fire NOC		Date:

etc have been taken. All similar approvals will be updated as per requirement in line with the progress of expansion		30/11/2024
35	WATER QUALITY MONITORING AND PRESERVATION	Adequate capacity and numbers of Storm water drains are to be built for discharging storm water from the air- field to avoid flooding/ water logging in project area. Domestic and industrial wastewater shall not be allowed to be discharged into storm water drain
PPs Submission: Agreed to Comply Agreed to comply. As part of present airport operations, a storm water management system has been provided with 35 nos. of recharge pit, Same will be upgraded in line with expansion.		Date: 30/11/2024
36	Noise Monitoring & Prevention	During airport operation period, noise should be controlled to ensure that it does not exceed the prescribed standards During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations
PPs Submission: Agreed to Comply Agreed to comply For existing airport operations, adequate noise control measures have been provided at the site such as, - Acoustic enclosures provided to DG Sets - Vehicle speed maintenance - Timely maintenance of all the equipment, machinery and vehicles used at the site. As part of existing operations, Noise monitoring surveys are being carried out at 4 locations. All the results are observed well within the prescribed limit. For expansion Environmental monitoring plan inline to EMP will be implemented		Date: 30/11/2024
37	WASTE MANAGEMENT	The project activity shall confirm to the fly ash notification issued under the E.P. act of 1986
PPs Submission: Agreed to Comply Agreed to comply The condition will be taken into compliance as part of the compliance, as per the applicability.		Date: 30/11/2024
38	WASTE MANAGEMENT	Trash collected in light and disposed at the airport including segregation, collection and disposal
PPs Submission: Agreed to Comply Agreed to comply For present operation, solid waste management is being done as per 5R principle, to attain Zero Waste to Landfil through authorized agency		Date: 30/11/2024
39	GREENBELT	Topsoil shall be separately stored and used in the development of the green belt.
PPs Submission: Agreed to Comply Agreed to comply Topsoil will be analyzed for its usage and applicability for greenbelt development		Date: 30/11/2024
40	PUBLIC HEARING	Provision of electromechanical door for toilets meant for disabled passengers. Children nursing/feeding room to be located conveniently near arrival and departure gates
PPs Submission: Agreed to Comply Agreed to comply For existing operation, facilities for especially abled, and Children nursing/feeding room has been provided and same will be considered for expansion.		Date: 30/11/2024
41	MISCELLANEOUS	The company shall have as well laid down environmental policy duly approved by the board of director. The environmental policy should prescribe or standard operating procedure to have proper checks and balances and to bring into foes any infringements/deviations/violation of the environmental

		forest/wildlife, norms /conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental forest/wildlife norms/conditions and or shareholder's /stack holders. The copy of the board resolution in this regard shall be submitted to the MOEF&CC ad part of six-monthly reports.
PPs Submission: Agreed to Comply Agreed to comply AIAL has duly approved QHSE policy, copy of the same has been attached as Annexure		Date: 30/11/2024
42	MISCELLANEOUS	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise fund earmarked for environment protection measures shall be kept in the separate account and not to be diverted for any other purpose. Year wise progress of the implementation of taction plan shall be reported to the ministry/regional office along with the six-monthly compliance reports.
PPs Submission: Agreed to Comply Agreed to comply A separate budget for the Environment protection measures is earmarked. The entire budget and all the expense details are recorded in advanced accounting system of the organization and as such separate bank account is not maintained. Dedicated budget for EHS department and same has been utilized of the same planned EHS activities. An amount of INR 1029 Lakh has been spent for environmental management measures (Environment Monitoring, Wastewater Treatment, Solid Waste Management, Horticulture development, wildlife management, fire and safety operations etc) during the compliance period of April 2024 to Sep 2024. Detailed expense sheet attached as Annexure and further, same will be considered for expansion.		Date: 30/11/2024
43	MISCELLANEOUS	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
44	MISCELLANEOUS	the project proponent shall submit, the environmental statement for each financial year in form -V to the concerned state pollution control board ad prescribed under the environmental (protection) rules 1986, as amended subsequently and put on the website of the company.
PPs Submission: Agreed to Comply Agreed to comply. For existing operations, environmental statements for each financial year are being prepared and submitted to the State Pollution Control Board regularly and displayed on website. The same will be considered for expansion. The copy of the form 5 is attached as Annexure B79		Date: 30/11/2024
45	MISCELLANEOUS	The project proponent shall inform the regional office as well as the concerned authorities, commencing the land development work and start of production and operation by the project. The project authorities must strictly adhere to the stipulations made by the state pollution control board and the state government.
PPs Submission: Agreed to Comply Agreed to comply. Upgradation and maintenance work as a part of passenger convenience and safety compliance are being undertaken		Date: 30/11/2024
46	MISCELLANEOUS	The regional office of the ministry shall monitor compliance of the stipulated conditions. The project authority should extend full cooperation to the officer(s) of the regional office by furnishing the requisite data, information, monitoring reports.

PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
47	MISCELLANEOUS	Any appeal against this EC shall lie with the national green tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the national green tribunal act 2010.
PPs Submission: Agreed to Comply Agreed to comply		Date: 30/11/2024
48	Corporate Environmental Responsibility	The project proponent shall allocate the separate fund as committed before SEAC for activities like conversion of airport owed conventional vehicles operated of fossil fuel to electrical vehicles. Electrical vehicle charging station, solar power plant, green area development near Bhat village and surrounding areas. Activities proposed under corporate environment responsibility (CER) shall be part of Environmental management plan (EMP) as per the MOEF&CC's OM on F. No. 22-65/2017-IA.III dated 30.09.2020. The said activities shall be completed within 10 years from the commencement of the project. The CER shall be monitored, and the monitoring report shall be submitted to the regional office of MOEF&CC ad part of half -yearly compliance report and to the district collector. The monitoring report shall be posted on website of the project proponent.
PPs Submission: Agreed to Comply Agreed to comply For the existing airport operations, Separate budget for the Environment protection measures is earmarked. The entire budget and all the expense details are recorded in the advanced accounting system of the organization and as such a separate bank account is not maintained. Dedicated budget for EHS department and same has been utilized of the same planned EHS activities. An amount of INR 1029 Lakh has been spent for environmental management measures (Environment Monitoring, Wastewater Treatment, Solid Waste Management, Horticulture development, wildlife management, fire and safety operations etc) during the compliance period of April 2024 to Sep 2024. Detailed expense sheet attached as Annexure		Date: 30/11/2024
49	WASTE MANAGEMENT	Any waste from the construction and demolition activities related thereto managed so as to strictly confirmed with construction and demolition waste management rules 2016
PPs Submission: Agreed to Comply Agreed to comply Construction and Demolition Waste will be handled as per Construction and Demolition Waste Management Rules-2016.		Date: 30/11/2024
50	MISCELLANEOUS	Excavated materials shall be handled and transported in a manner that they do not cause any problems of air pollution
PPs Submission: Agreed to Comply Agreed to comply. Adequate dust mitigation measures have been provided at the site such as, - Water sprinkling to prevent dust emission. - Vehicles used for material movements are covered.		Date: 30/11/2024
51	MISCELLANEOUS	The soil/construction materials carried by the vehicle should be covered by impervious sheeting to ensure that the dusty materials do not leak from the vehicle.
PPs Submission: Agreed to Comply Agreed to comply. Adequate dust mitigation measures have been provided at the site such as, - Water sprinkling to prevent dust emission. - Vehicles used for material movements are covered.		Date: 30/11/2024
52	WATER QUALITY	Prior permission from competent authority shall be obtained or use

	MONITORING AND PRESERVATION	of fresh water.
<p>PPs Submission: Agreed to Comply Agreed to comply Fresh water demand for present airport operations is sourced from Ahmedabad Municipal Corporation (AMC) and ground water. Copy of approval attached as Annexure Based on the future demand, required approvals from the concerned authorities will be obtained.</p>		Date: 30/11/2024
53	WATER QUALITY MONITORING AND PRESERVATION	A certificate from the competent, 'authority for discharging treated effluent, untreated effluents into the public sewer/disposal / drainage system along with the final disposal point should be obtained
<p>PPs Submission: Agreed to Comply Agreed to comply. In line to present airport operations, 500 KLD STP has been installed with MBBR technology. At present the treated wastewater is analyzed by MoEF/NABL approved lab and results have been found within the norms, and is being used for gardening, and horticultural requirements STP will be expanded in a phased manner as per the requirement, to treat the wastewater generated from the entire airport and the treated wastewater will be used for horticulture, HVAC and flushing purposes.</p>		Date: 30/11/2024
54	WATER QUALITY MONITORING AND PRESERVATION	A detailed drainage plan for rainwater shall be drawn up and implemented.
<p>PPs Submission: Agreed to Comply Agreed to comply. As part of present airport operations, a storm water management system has been provided with 35 nos. of recharge pit, Same will be upgraded in line with expansion as per the applicable norms</p>		Date: 30/11/2024
55	Noise Monitoring & Prevention	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the ministry as a part of six monthly.
<p>PPs Submission: Agreed to Comply Agreed to comply. As part of existing operations, Noise monitoring surveys are being carried out at 4 locations. All the results are observed well within the prescribed limit. Detailed reports are attached as Annexure B45. For expansion Environmental monitoring plan inline to EMP will be implemented</p>		Date: 30/11/2024
56	Noise Monitoring & Prevention	Noise from vehicles, power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipment's compliance reports.
<p>PPs Submission: Agreed to Comply Agreed to comply. For existing airport operations, adequate noise control measures have been provided at the site such as, - Acoustic enclosures provided to DG Sets - Vehicle speed maintenance - Timely maintenance of all the equipment, machinery and vehicles used at the site. As part of existing operations, Noise monitoring surveys are being carried out at 4 locations. All the results are observed well within the prescribed limit. For expansion Environmental monitoring plan inline to EMP will be implemented</p>		Date: 30/11/2024
57	ENERGY PRESERVATION MEASURES	Energy conservation measures viz. maximum use of natural Lighting through architectural design, energy efficient motors & pumps, water efficient taps, solar lights in open & solar streetlight, 3000 KW solar power generation' use of aerated blocks & RMC, use of LED lighting fixtures and low voltage lighting, rooftop thermal insulation etc. shall be implemented as proposed

<p>PPs Submission: Agreed to Comply Agreed to comply As part of existing airport operations, the following Energy conservations measures has been adopted: - LED light fixtures are installed - Water efficient faucets with auto control systems are provided. - Natural lighting adopted. - 1.4 MW solar panel installed. For existing airport operations, the electricity load certificate is available and the same will be considered for expansion. However, as part of achieving carbon neutrality, 100 percentage of airport power consumption will be through green sources to be achieved in upcoming year</p>		<p>Date: 30/11/2024</p>
58	WASTE MANAGEMENT	Soil stockpile shall be managed in such a manner that dust emission and sediments runoff are minimized. Ensure that, soil stockpiles are designed with no slop greater than 2:1 (horizontal: vertical)
<p>PPs Submission: Agreed to Comply Agreed to comply Upgradation and maintenance work as a part of passenger convenience and safety compliance are undertaken. Adequate dust mitigation measures have been provided at the site such as, - Water sprinkling to prevent dust emission. - Vehicles used for material movements are covered. - proper slope is being maintained</p>		<p>Date: 30/11/2024</p>
59	WASTE MANAGEMENT	Solid inert waste found on construction site consist of building rubble, demolition material, concretes, bricks, timber plastic, glass metals, bitumen etc. shall be reuse, recycled or disposed as per solid waste management rules 2016 and construction and demolition waste management rules 2016.
<p>PPs Submission: Agreed to Comply Agreed to comply Upgradation and maintenance work as a part of passenger convenience and safety compliance are undertaken. solid waste management is being done as per solid waste management rules. Construction and Demolition Waste will be handled as per Construction and Demolition Waste Management Rules-2016</p>		<p>Date: 30/11/2024</p>
60	WASTE MANAGEMENT	The project proponent shall implement management plan duly approved by state pollution control board and obtained its permissions for the safe handling and disposal of
<p>PPs Submission: Agreed to Comply Agreed to comply CTE has been obtained as dated 12.10.2022 The applicable conditions are being complied with.</p>		<p>Date: 30/11/2024</p>
61	WASTE MANAGEMENT	Toilet waste and sewage collected from aircrafts and disposed at airport
<p>PPs Submission: Agreed to Comply Agreed to comply For existing operation sewage generation for aircraft are being pre-treated for further treatment at STP. Further for expansion the same will be taken into consideration.</p>		<p>Date: 30/11/2024</p>
62	MISCELLANEOUS	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
<p>PPs Submission: Agreed to Comply Agreed to comply For existing airport operations, the electricity load certificate is available and the same will be considered for expansion. However, as part of achieving carbon neutrality, 100 percentage of airport power consumption will be through green sources to be achieved in upcoming year</p>		<p>Date: 30/11/2024</p>
63	Statutory compliance	Clearance from Directorate General of Civil Aviation (DGCA) and Airports Authority of India (AAI) for safety and project Facilities shall be obtained

<p>PPs Submission: Agreed to Comply Agreed to comply. For existing airport operation, AIAL has a DGCA license to operate and AIAL complying to the conditions of DGCA. Adequate fire and safety provisions are provided. All such systems will be suitably upgraded in accordance with airport expansion.</p>		<p>Date: 30/11/2024</p>
64	MISCELLANEOUS	<p>The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it all least in two local newspapers of the district or state, of which one shall be in vernacular language within seven days and in addition this shall also be displayed in project proponent website permanently</p>
<p>PPs Submission: Complied Complied, Environment clearance issued by ministry has been published in English newspaper and local newspaper wide dated 18 Nov 2022. Copy of the same attached as annexure B 72 Environment clearance copy has been displayed on website Link https://www.adani.com/svpia-ahmedabad-airport/downloads</p>		<p>Date: 30/11/2024</p>
<p>Visit Remarks</p>		
<p>Last Site Visit Report Date:</p>		<p>20/06/2022</p>
<p>Additional Remarks:</p>		<p>Half Yearly Compliance Report for expansion project at Sardar Vallabhbhai Patel International Airport, Ahmedabad for the period of April 2024 to Sep 2024. As per Concession Agreement with Airports Authority of India (AAI) and Ahmedabad International airport Limited, the area of the project site is 390.05 Ha been allocated. It includes 11.19 Ha CSD area. Environment clearance has been obtained for the area which includes existing airport area plus as per the concessioner agreement additional land which is being acquired for safety (1.76 plus 8.54 is 10.30 Ha) requirements and de-bottlenecking</p>
<p>Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		